

PLUG&PLAY by Unipart Rail

Interconnects & Leads - B2

SE-SK DWG No	Type	Description
SE-SK 0712/01	Interconnect	4m long, B2 0.75mmsq 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0801/01	Interconnect	4m long, B2 2.5mmsq 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0427/01	Interconnect	4m long, B2 10mmsq 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0694/02	Interconnect	7.5m long, B2 0.75mmsq 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0730/02	Interconnect	7.5m long, B2 0.75mmsq 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0739/02	Interconnect	7.5m long, B2 0.75mmsq 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0748/02	Interconnect	7.5m long, B2 0.75mmsq 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0817/02	Interconnect	7.5m long, B2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0818/02	Interconnect	7.5m long, B2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)
SE-SK 0825/02	Interconnect	7.5m long, B2 2.5mmsq 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0827/02	Interconnect	7.5m long, B2 2.5mmsq 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0835/02	Interconnect	7.5m long, B2 2.5mmsq 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0466/02	Interconnect	7.5m long, B2 2.5mmsq 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0427/02	Interconnect	7.5m long, B2 10mmsq 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0730/03	Interconnect	15m long, B2 0.75mmsq 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0748/03	Interconnect	15m long, B2 0.75mmsq 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0801/03	Interconnect	15m long, B2 2.5mmsq 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0803/03	Interconnect	15m long, B2 2.5mmsq 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0817/03	Interconnect	15m long, B2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0818/03	Interconnect	15m long, B2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)
SE-SK 0819/03	Interconnect	15m long, B2 2.5mmsq 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0827/03	Interconnect	15m long, B2 2.5mmsq 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0835/03	Interconnect	15m long, B2 2.5mmsq 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0841/03	Interconnect	15m long, B2 2.5mmsq 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0843/03	Interconnect	15m long, B2 2.5mmsq 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0464/03	Interconnect	15m long, B2 2.5mmsq 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0427/03	Interconnect	15m long, B2 10mmsq 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0703/04	Interconnect	25m long, B2 0.75mmsq 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0801/04	Interconnect	25m long, B2 2.5mmsq 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0803/04	Interconnect	25m long, B2 2.5mmsq 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0817/04	Interconnect	25m long, B2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0818/04	Interconnect	25m long, B2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)
SE-SK 0825/04	Interconnect	25m long, B2 2.5mmsq 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0827/04	Interconnect	25m long, B2 2.5mmsq 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0835/04	Interconnect	25m long, B2 2.5mmsq 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0841/04	Interconnect	25m long, B2 2.5mmsq 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0843/04	Interconnect	25m long, B2 2.5mmsq 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0466/04	Interconnect	25m long, B2 2.5mmsq 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0716/03	Lead	8m long, B2 0.75mmsq 12-core cable, with MIL5015 Plug (F) to Free End
SE-SK 0471/03	Lead	8m long, B2 2.5mmsq 19-core cable, with Free End and MIL 5015 Receptacle (F)
SE-SK 0699/04	Lead	15.5m long, B2 0.75mmsq 7-core cable, with Free End to MIL5015 Plug (M)
SE-SK 0708/04	Lead	15.5m long, B2 0.75mmsq 10-core cable, with Free End to MIL5015 Plug (M)
SE-SK 0717/04	Lead	15.5m long, B2 0.75mmsq 12-core cable, with Free End to MIL5015 Plug (M)
SE-SK 0471/04	Lead	15.5m long, B2 2.5mmsq 19-core cable, with Free End and MIL 5015 Receptacle (F)
SE-SK 0469/04	Lead	15.5m long, B2 2.5mmsq 19-core cable, with Free End and MIL5015 Plug (M)

Please Note: Additional lengths available on request.

PLUG&PLAY by Unipart Rail

Interconnects & Leads - C2

SE-SK DWG No	Type	Description
SE-SK 0391/01	Interconnect	4m long, C2 2.5mmsq 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015
SE-SK 0647/21	Interconnect	4m long, C2 2.5mmsq 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0631/22	Interconnect	7.5m long, C2 2.5mmsq 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0638/22	Interconnect	7.5m long, C2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)
SE-SK 0639/22	Interconnect	7.5m long, C2 2.5mmsq 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0661/22	Interconnect	7.5m long, C2 2.5mmsq 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0663/22	Interconnect	7.5m long, C2 2.5mmsq 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0631/23	Interconnect	15m long, C2 2.5mmsq 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0638/23	Interconnect	15m long, C2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)
SE-SK 0639/23	Interconnect	15m long, C2 2.5mmsq 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0647/23	Interconnect	15m long, C2 2.5mmsq 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0663/23	Interconnect	15m long, C2 2.5mmsq 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0629/24	Interconnect	25m long, C2 2.5mmsq 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0391/04	Interconnect	25m long, C2 2.5mmsq 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015
SE-SK 0392/04	Interconnect	25m long, C2 2.5mmsq 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015
SE-SK 0638/24	Interconnect	25m long, C2 2.5mmsq 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)
SE-SK 0639/24	Interconnect	25m long, C2 2.5mmsq 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0393/04	Interconnect	25m long, C2 2.5mmsq 4-core cable, with Prysmian 4-way HW Plug and MIL5015 Plug (F)
SE-SK 0645/24	Interconnect	25m long, C2 2.5mmsq 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0647/24	Interconnect	25m long, C2 2.5mmsq 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)
SE-SK 0653/24	Interconnect	25m long, C2 2.5mmsq 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0394/04	Interconnect	25m long, C2 2.5mmsq 10-core cable, with Prysmian 10-way HW Plug and MIL5015 Plug (M)
SE-SK 0661/24	Interconnect	25m long, C2 2.5mmsq 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0641/22	Lead	4m long, C2 2.5mmsq 4-core cable, with Free End and MIL 5015 Plug (F)
SE-SK 0649/22	Lead	4m long, C2 2.5mmsq 7-core cable, with Free End and MIL 5015 Plug (F)
SE-SK 0658/22	Lead	4m long, C2 2.5mmsq 10-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0665/22	Lead	4m long, C2 2.5mmsq 12-core cable, with Free End and MIL 5015 Plug (F)
SE-SK 0634/23	Lead	8m long, C2 2.5mmsq 2-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0642/23	Lead	8m long, C2 2.5mmsq 4-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0649/23	Lead	8m long, C2 2.5mmsq 7-core cable, with Free End and MIL 5015 Plug (F)
SE-SK 0650/23	Lead	8m long, C2 2.5mmsq 7-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0658/23	Lead	8m long, C2 2.5mmsq 10-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0666/23	Lead	8m long, C2 2.5mmsq 12-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0634/24	Lead	15.5m long, C2 2.5mmsq 2-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0650/24	Lead	15.5m long, C2 2.5mmsq 7-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0658/24	Lead	15.5m long, C2 2.5mmsq 10-core cable, with Free End and MIL5015 Plug (M)
SE-SK 0665/24	Lead	15.5m long, C2 2.5mmsq 12-core cable, with Free End and MIL 5015 Plug (F)
SE-SK 0666/24	Lead	15.5m long, C2 2.5mmsq 12-core cable, with Free End and MIL5015 Plug (M)

Interconnects & Leads - C3

SE-SK DWG No	Type	Description
SE-SK 0349/02	Interconnect	7.5m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0350/02	Interconnect	7.5m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle
SE-SK 0351/02	Interconnect	7.5m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle
SE-SK 0349/04	Interconnect	25m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0350/03	Interconnect	15m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)
SE-SK 0351/03	Interconnect	15m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle
SE-SK 0350/04	Interconnect	25m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle
SE-SK 0351/04	Interconnect	25m long, C3 2.5mmsq 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle
SE-SK 0355/05	Lead	Length specified on order, C3 2.5mmsq 2-core+screen cable, with Free End and MIL5015 Receptacle

Interconnects & Leads - Other

SE-SK DWG No	Type	Description
SE-SK 0496/21	Interconnect	BR1932, 1.27mm Twin core Data Link Cable, Plug (M) to Plug (M), Black Sheath
SE-SK 0496/22	Interconnect	BR1932, 1.27mm Twin core Data Link Cable, Plug (M) to Plug (M), Blue Sheath
SE-SK 0789/02	Interconnect	7.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0789/03	Interconnect	15m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)
SE-SK 0793/03	Lead	8m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and Free End
SE-SK 0769/04	Lead	15.5m long, 0.9mm 3 Star Quad Cable, with MIL5015 Plug (F) to Free End

Please Note: Additional lengths available on request.

PLUG&PLAY by Unipart Rail

Wired Receptacles - NR P&P Panel Mounted

SE-SK DWG No	Type	Description
SE-SK 0502/13	Type 3	Receptacle, 2 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0503/13	Type 3	Receptacle, 2 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0502/15	Type 3	Receptacle, 2 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0503/15	Type 3	Receptacle, 2 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0507/13	Type 3	Receptacle, 3 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0508/13	Type 3	Receptacle, 3 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0512/13	Type 3	Receptacle, 4 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0513/13	Type 3	Receptacle, 4 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0512/15	Type 3	Receptacle, 4 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0513/15	Type 3	Receptacle, 4 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0517/13	Type 3	Receptacle, 7 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0518/13	Type 3	Receptacle, 7 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0517/15	Type 3	Rear Receptacle, 7 Wire Black DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0522/13	Type 3	Receptacle, 10 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0523/13	Type 3	Receptacle, 10 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0527/13	Type 3	Receptacle, 12 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0528/13	Type 3	Receptacle, 12 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0527/15	Type 3	Receptacle, 12 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0528/15	Type 3	Receptacle, 12 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0533/13	Type 3	Receptacle, 16 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0537/13	Type 3	Receptacle, 19 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0538/13	Type 3	Receptacle, 19 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0537/15	Type 3	Receptacle, 19 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0538/15	Type 3	Receptacle, 19 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 2.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0548/03	Type 3	Receptacle, 37 Wire White DEF STAN 61-12 Pt6 Type 3 0.75mmsq 1.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0502/03	Type CK	Rear Receptacle, 2 Wire Black BS6231 Type CK 2.5mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0557/03	Type CK	Receptacle, 2 Wire Black BS6231 Type CK 2.5mmsq 1.0m long, with MIL5015 Receptacle (F) with Size 8 Contacts to Free End
SE-SK 0502/05	Type CK	Rear Receptacle, 2 Wire Black BS6231 Type CK 2.5mmsq 2.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0503/05	Type CK	Receptacle, 2 Wire Black BS6231 Type CK 2.5mmsq 2.0m long, with MIL5015 Receptacle (M) to Free End
SE-SK 0558/05	Type CK	Rear Receptacle, 2 Wire Black BS6231 Type CK 2.5mmsq 2.0m long with MIL5015 Receptacle (M) with Size 8 Contacts to Free End
SE-SK 0522/03	Type CK	Receptacle, 10 Wire Black BS6231 Type CK 2.5mmsq 1.0m long, with MIL5015 Receptacle (F) to Free End
SE-SK 0522/05	Type CK	Receptacle, 10 Wire Black BS6231 Type CK 2.5mmsq 2.0m long, with MIL5015 Receptacle (F) to Free End



Disconnection Boxes - Equipment Specific Network Rail Equipment Specific Disconnection Boxes PA05/05808

Unipart Rail Ref No	Description	Coupler Arrangement (With WAGO Terminals)	
		Left Hand Side	Right Hand Side
PIC107-1001	3 Aspect Main Signal Head R/Y/G (7c & 12c)	PC1 (24-2) - Plug - (Male Contacts)	PC2 (32-013) - Receptacle - (Female Contacts)
PIC107-1002	AWS Electro or Suppressor	PC1 (20-4) - Plug - (Male Contacts)	PC2 (20-4) - Receptacle - (Female Contacts)
PIC107-1003	AWS Electro & Suppressor	PC1 (20-4) - Plug - (Male Contacts) PC3 (20-4) - Plug - (Male Contacts)	PC2 (20-4) Receptacle - (Female Contacts) PC4 (20-4) Receptacle - (Female Contacts)
PIC107-1004	AWS Electro or Suppressor with 20-23 coupler on Left Hand Side for larger csa cable	PC1 (20-23) - Plug - (Male Contacts)	PC2 (20-4) - Receptacle - (Female Contacts)
PIC107-1005	AWS Electro & Suppressor with 20-23 coupler on Left Hand Side for larger csa cable	PC1 (20-23) - Plug - (Male Contacts) PC3 (20-23) - Plug - (Male Contacts)	PC2 (20-4) - Receptacle - (Female Contacts) PC4 (20-4) - Receptacle - (Female Contacts)
PIC107-1006	TPWS Arming Loop	PC1 (20-4) - Plug - (Male Contacts)	PC2 (20-4) - Receptacle - (Female Contacts)
PIC107-1007	TPWS Trigger Loop	PC1 (20-4) - Plug - (Female Contacts)	PC2 (20-4) - Receptacle - (Male Contacts)
PIC107-1008	TPWS Arming & Trigger Loop	PC1 (20-4) - Plug - (Male Contacts) PC3 (20-4) - Plug - (Female Contacts)	PC2 (20-4) - Receptacle - (Female Contacts) PC4 (20-4) - Receptacle - (Male Contacts)
PIC107-1009	BR998 Detection	PC1 (20-4) - Plug - (Male Contacts) PC3 (20-4) - Plug - (Female Contacts)	PC2 (20-4) - Receptacle - (Female Contacts) PC4 (20-4) - Receptacle - (Male Contacts)
PIC107-1010	SO Back Drive Detector	PC1 (24-2) - Plug - (Male Contacts) PC3 (20-4) - Plug - (Female Contacts)	PC2 (24-2) - Receptacle - (Female Contacts) PC4 (24-2) - Receptacle - (Male Contacts)
PIC107-1011	Points Machine	PC1 (32-013) - Plug - (Male Contacts) PC3 (20-4) - Plug - (Female Contacts)	PC2 (32-013) - Receptacle - (Female Contacts) PC4 (20-4) - Receptacle - (Male Contacts)
PIC107-1012	Clamplock / HY Drive	PC1 (32-013) - Plug - (Male Contacts) PC3 (20-4) - Plug - (Male Contacts) PC5 (20-4) - Plug - (Female Contacts)	PC2 (32-013) - Receptacle - (Female Contacts) PC4 (20-4) - Receptacle - (Female Contacts) PC6 (20-4) - Receptacle - (Male Contacts)
PIC107-1013	HY Drive with PC1 & PC3 couplers 20-23 for larger csa cable	PC1 (20-23) - Plug - (Male Contacts) PC3 (20-23) - Plug - (Male Contacts) PC5 (20-4) - Plug - (Male Contacts) PC7 (20-4) - Plug - (Female Contacts)	PC2 (32-013) - Receptacle - (Female Contacts) PC4 (20-4) - Plug - (Male Contacts) PC6 (20-4) - Receptacle - (Female Contacts) PC8 (20-4) - Receptacle - (Male Contacts)
PIC107-1014	Main Signal Head / Standard & Preliminary Route Indicator	PC1 (32-013) - Plug - (Male Contacts)	PC2 (32-013) - Receptacle - (Female Contacts)
PIC107-1015	Position Light Shunt Signal / Miniature Indicator / Banner Repeater	PC1 (24-2) - Plug - (Male Contacts)	PC2 (24-2) - Receptacle - (Female Contacts)
PIC107-1016	Position Light Junction Indicator	PC1 (32-013) - Plug - (Male Contacts)	PC2 (32-013) - Receptacle - (Female Contacts)
PIC107-1017	Limit of Shunt Signal	PC1 (20-4) - Plug - (Male Contacts)	PC2 (20-4) - Receptacle - (Female Contacts)
PIC107-1018	MCB-OD POD (Primary Obstacle Detector)	PC1 (32-76) - Plug - (Male Contacts) PC3 (20-4) - Plug - (Male Contacts) PC5 (20-4) - Plug - (Female Contacts)	PC2 (32-76) - Plug - (Female Contacts) PC4 (20-4) - Plug - (Female Contacts) PC6 (24-2) - Plug - (Female Contacts)

Disconnection Box Fixings

Unipart Rail Ref No/Cat No	Description
PIC107-3005	Back to Back Mounting Post
0004/012773	Concrete Base
0050/555746	Post to Base Fixings

Please Note: All the above boxes are available as Interface boxes for signalling enabling works, supplied with approved input gland to terminal connection.

Please call the team for more details on 01270 847708 or email engineeringssupport@unipartrail.com.

All boxes supplied with M8 fixings to secure Disconnection Box to Mounting Post.

Network Rail Axle Counter Disconnection Boxes PA05/06042

Unipart Rail Ref No	Description	Coupler Arrangement (With WAGO Terminals)	
		Left Hand Side	Right Hand Side
PIC107-1019	Plug Coupled Axle Counter Dis Box - 2 x 10 Pair	PC1 (32-31) - Receptacle - (Male Contacts) PC3 (32-31) - Receptacle - (Male Contacts)	PC2 (32-31) - Receptacle - (Female Contacts) PC2 (32-31) - Receptacle - (Female Contacts)
PIC107-1020	Plug Coupled Axle Counter Dis Box - 1 x 10 Pair, 1 x 2 Pair	PC1 (32-31) - Receptacle - (Male Contacts) PC3 (20-4) - Receptacle - (Male Contacts)	PC2 (32-31) - Receptacle - (Female Contacts) PC4 (20-4) - Receptacle - (Female Contacts)
PIC107-1021	Plug Coupled Axle Counter Dis Box - 2 x 2 Pair	PC1 (20-4) - Receptacle - (Male Contacts) PC3 (20-4) - Receptacle - (Male Contacts)	PC2 (20-4) - Receptacle - (Female Contacts) PC4 (20-4) - Receptacle - (Female Contacts)
PIC107-1022	Plug Coupled Axle Counter Dis Box - 1 x 10 Pair	PC1 (32-31) - Receptacle - (Male Contacts)	PC2 (32-31) - Receptacle - (Female Contacts)